

[SUPPLEMENT TO PALAEOLOGY, 2008, VOL. 51, PP. 367-404]

Supplementary To

**LATE HETTANGIAN (EARLY JURASSIC) AMMONITES
FROM TASEKO LAKES, BRITISH COLUMBIA, CANADA**

by LOUISE M. LONGRIDGE, PAUL L. SMITH *and* HOWARD W. TIPPER

LOCALITY INFORMATION

Information given below includes locations for all figured and/or measured specimens. Latitude and longitude are given where possible in addition to a brief description of each location. Relevant GSC and other locality numbers are provided. See Text-figure 1 for locations.

Section A. Castle Pass. [51°05'157", 122°57'671"; 51°05'206", 122°57'664"]

Localities exposed on the main saddle at Castle Pass consisting of A01–A15 in a stratigraphic sequence and A16–A18 from talus.

A01: GSC locality C-117236; A02: C-177632; A03: C-117237, C-143320; A04: C-143319; A05: C-143318, C-177633, C-177635, C-208991; A06: 62362 (Section 1 of Frebold 1967); A07: C-208993, C-208982, C-143316, C-143317, C-177634; A08: 62499 (Section 1 of Frebold 1967); A09: C-208992; A10: C-143313; A11: C-208994; A12: C-143308; A13: C-175326; A14: C-117241; A15: C-208961; A16: C-208983; A17: C-203169, 94770; A18: C-143295; C-117239.

Section B. Castle Pass. [51°05'196", 122°57'816"; 51°05'241", 122°57'736"]

Localities exposed *c.* 100 m west of the main saddle at Castle Pass consisting of B01–B06 in a stratigraphic sequence and B07 from talus.

B01: GSC locality C-117233, C-208960; B02: C-143296; B03: C-208958; B04: C-175388; B05: C-118699, C-117234; B06: C-118700, C-117235; B07: C-175397, C-208984, C-175396.

Section C. Castle Pass. [51°05'037", 122°57'829"; 51°05'105", 122°57'848"]

Localities exposed south-west of the main saddle at Castle Pass consisting of C01–C05 in a stratigraphic sequence and C06 from talus.

C01: GSC locality C-117232; C02: C-117246; C03: C-143337, C-117491, C-117248; C04: C-117245; C05: C-117490, C-117247; C06 C-117249, C-117489, C-208990.

Section D. Castle Pass. [51°05'157", 122°57'671"; 51°05'180", 122°57'661"]

Localities exposed immediately east of the main saddle at Castle Pass consisting of D01–D02 in a stratigraphic sequence and D03 from talus.

D01: GSC locality C-143323; D02: C-143327, C-177636, C-175372; D03: C-143322, C-177637.

Isolated localities 1–4

Isolated locality 1. [*c.* 51°02'45", 122°57'50"]. Locality on Tyaughton Creek *c.* 1 km west of Spruce Lake Creek.

GSC locality 56393 (Section 7 of Frebold 1967; isolated locality 3 of Longridge *et al.* 2006)

Isolated locality 2. [51°05'206', 122°57'664']. South side of main saddle at Castle Pass (across the saddle from the bottom of section A).

GSC locality C-175327

Isolated locality 3. [*c.* 51°05'29'24", 122°58'30'36"]. Saddle on ridge *c.* 1.6 km west of Castle Mountain. This locality may be in a stratigraphic section but the rocks are severely disrupted tectonically so we treat it as an isolated locality.

GSC locality C-117230, C-143287

Isolated locality 4. [51°05'493", 123°00'719"; 51°05'481", 123°00'706"]. Locality

exposed *c.* 100 m east of the head of Last Creek. This collection was probably in place although it may be *ex situ*.

GSC locality C-208955 (Section E locality 01 of Longridge *et al.* 2006)